

ಶ್ರೀ ವಿ. ಎನ್. ಪಾಟೀರ್.—ನುಮಾರು 1½ ವರ್ಷದಿಂದಲೂ ಪಾಪ್ಯಲರ್ ಮಿನಿಸ್ಟ್ರಿ ಇರಲಿಲ್ಲ. ಗೌರ್ ರೂಲು ಇತ್ತು. ಈಗ ಪಾಪ್ಯಲರ್ ಮಿನಿಸ್ಟ್ರಿ ಬಂದು ಎಷ್ಟೋ ದಿವಸಗಳಾಯ್ತು. ಇದಾಗ್ಯೂ ಕೂಡ ಒಂದು ಕಮಿಟಿ ಮೀಟಿಂಗನ್ನೂ ಕರೆದಿಲ್ಲ. ಅದರಿಂದ ಇದು ಹೆಚ್ಚು ನೆನಸರಿ ಇರಲಿಲ್ಲ ಎಂದು ಬಿಟ್ಟಿದ್ದೀರಾ ಅಥವಾ ಸುಮ್ಮನೆ ಡೆಕೋರೇಟಿಂಗ್‌ಗೆ ಇಟ್ಟುಕೊಂಡಿದ್ದೀರಾ ?

ಶ್ರೀ ಎನ್. ಹುಚ್ಚಮಾಸ್ತಿಗೌಡ.—ಈ ಸರ್ಕಾರ ಬಂದ ನಂತರ ಇದರ ಬಗ್ಗೆ ಶೀಘ್ರ ಕ್ರಮ ತೆಗೆದುಕೊಂಡು ಈ ಕಮಿಟಿಯನ್ನು ಸೇರಿಸುವುದಕ್ಕೆ ತೀರ್ಮಾನ ಮಾಡಿದ್ದೇವೆ. ಅದರ ಬಗ್ಗೆ ಈಗಾಗಲೇ ಹೇಳಿದ್ದೇನೆ ನಾಳೆ 10 ಗಂಟೆಗೆ ಸೇರುತ್ತದೆ ಎಂದು. ಇದರ ಬಗ್ಗೆ ಅನೇಕ ಹಿತಚಿಂತಕರು ಹೇಳಿದ್ದಾರೆ. ನಾಳೆ ಸಮಿತಿ ಸೇರಿ ತೀರ್ಮಾನ ತೆಗೆದುಕೊಳ್ಳುತ್ತೇವೆ.

ಶ್ರೀ ಕೆ. ಆರ್. ಶ್ರೀನಿವಾಸುಲು ನಾಯ್ಡು.—ಪ್ರಿವೆನ್‌ಷನ್ ಆಫ್ ಕ್ರೂಯಲ್ಟಿ ಟು ಆನಿಮಲ್ಸ್ ಆಕ್ಟ್ 1960 ಅದು ನಮ್ಮ ದೇಶದಲ್ಲಿ ಇದೆ ಎಂದು ತಮ್ಮ ಗಮನಕ್ಕೆ ಬಂದಿದೆಯೇ ?

ಶ್ರೀ ಎನ್. ಹುಚ್ಚಮಾಸ್ತಿಗೌಡ.—ಅದರ ಬಗ್ಗೆ ಸರ್‌ರೇಟ್ ಕೊಶ್ಲನ್ ಕೇಳಿದರೆ ಹೇಳುತ್ತೇನೆ.

MADAM SPEAKER.—Now Question Hour is over.

QUESTION FOR ANSWERS ON THE DAY (BUT NOT TAKEN UP)

Sujaloor pickup in Malavalli Taluk

Will the Minister for Public Works and Electricity be pleased to state:—

(a) whether the Sujaloor pickup in Malavalli Taluk has been constructed at a cost of more than Rs. 4 lakhs and was expected to irrigate about 800 acres ;

(b) the area now irrigating under this pickup;

(c) whether the pickup was proposed to be constructed only after Sujaloor tank was restored ;

(d) if so, the reasons for not restoring the Sujaloor tank so far?

Sri H. M. CHANNABASAPPA (Minister for Public Works and Electricity).—

(a) An estimate for construction of a pickup across breached tank valley near Sujaloor was sanctioned for Rs. 3.45 lakhs to benefit an area of 685 acres. The work has been completed.

(b) 485 acres.

(c) No. There is no proposal to restore Sujaloor tank.

(d) the restoration would involve submersion of 20 acres of wet and 140 acres of dry land. Also there is seepage from Turaganur Branch Eextension atthakat to Sujaloor pickup, which is sufficient for irrigating the lands under it.